

rippleTM
India

Milwaukee[®]

Nothing but **HEAVY DUTY**TM.

▶ **M18TM LED SEARCH LIGHT | M18 SLED**



Milwaukee Lighting Systems

Milwaukee[®]

Nothing but **HEAVY DUTY**TM.

Since 1924

▶ M18™ LED SEARCH LIGHT | M18 SLED



Features & Advantages

- TRUEVIEW™ high definition lighting
- Pivoting head provides 1250 Lumens with up to 650 m beam distance
- 4 output modes: Spot, Flood, Spot/Flood, Strobe delivering multiple options in work space illumination
- Spot mode for long range identification: utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work...
- Flood mode for illuminating close work spaces
- IP54 rating, the light is protected from dust and splashing water
- Ergonomic grip with rubber overmould enhances user comfort and grip during use
- Key hole for hanging function

Specifications - M18 SLED-0

Article Number	4933459159
Battery compatibility	All Milwaukee® M18™ batteries
Battery type	Li-ion
Beam distance (m)	650
Charger supplied	–
Max. light output Spot-flood/Flood/Spot/Strobe (Lumens)	1250 / 1200 / 600 / 1200
Max. run time with M18 B5 battery (h)	4 / 4 / 7 / 5
No. of batteries supplied	0
System	M18
Voltage (DC) (V)	18
Voltage (V)	18
Weight with battery pack (kg)	1.4

▶ **M12[™] - M18[™] CHARGER | M12 - 18C**



Specifications - M12 - 18C

Article Number	4932352962
Battery pack capacity (Ah)	2.0, 4.0, 5.0, 6.0 & 9.0
Charging time	40/80/100/124/180 min
For battery type Li-Ion	Yes
Supplied in	–
System	M12,M14,M18

Features & Advantages

- Recharges all M18[™], M14[™] and M12[™] REDLITHIUM-ION[™] battery packs
- Recharges in sequence - first in, first to charge - resulting in less time needed to manage charging cycles
- REDLITHIUM-ION[™] 3.0 Ah / 4.0 Ah battery packs recharge in 60 min / 80 min or less
- REDLITHIUM-ION[™] 1.5 Ah / 2.0 Ah battery packs recharge in 30 min / 40 min or less

▶ **M12[™] - M18[™] FAST CHARGER | M12-18 FC**



Specifications - M12 - 18 FC

Article Number	4932451080
Battery pack capacity (Ah)	2.0, 4.0, 5.0, 6.0 & 9.0
Battery type	Li-ion
Charging time	26/47/59/68/95 min
For battery type Li-Ion	Yes
For battery type NiCd	No
For battery type NiMH	No
System	M12,M14,M18

Features & Advantages

- Recharges all M18[™], M14[™] and M12[™] REDLITHIUM-ION[™] battery packs
- Recharges in sequence - first in, first to charge - resulting in less time needed to manage charging cycles
- M12[™] REDLITHIUM-ION[™] 2.0 Ah / 3.0 Ah / 4.0 Ah / 6.0 Ah battery packs recharge in 28 min / 45 min / 57 min / 90 min or less
- M18[™] REDLITHIUM-ION[™] 2.0 Ah / 4.0 Ah / 5.0 Ah / 6.0 Ah / 9.0 Ah battery packs recharge in 26 min / 47 min / 59 min / 68 min/ 95 min or less



Nothing but **HEAVY DUTY.**[™]

▶ **M18[™] 5.0 AH BATTERY | M18 B5**



Specifications - M18 B5



M18 B5



M1 B52

Article Number	4932430483	4932451242
Battery pack capacity (Ah)	5.0	5.0
Battery type	Li-ion	Li-ion
Charger supplied	–	–
No. of batteries supplied	–	2
Supplied in	Blister	–
System	M18	M18
Voltage (V)	18	18

Features & Advantages

- Delivers up to 2.5x more run time, up to 20% more power and up to 2x more battery life compared with other Lithium-Ion technologies and / or with previous Milwaukee® battery technology. (Results depend on tool and application)
- REDLITHIUM-ION protection with Milwaukee® REDLINK™ digital overload protection to prevent users from damaging their cordless power tool investment in abusive situations
- Individual cell monitoring ensures optimal charge and discharge for maximum life
- Durable metal frame battery construction with shock responsive separators preventing pack failure from excessive vibrations or drops
- Water protection routes water away from the electronics & out of the battery pack
- Can be used in extreme temperatures down to -20 °C without compromising on runtime and battery life
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency

New Delhi
Chandigarh

Mumbai
Ahmedabad

Chennai
Kochi

Kolkata
Bhubaneswar

Bengaluru
Lucknow

Pune
Nagpur



Ripple Construction Products Pvt Ltd

Corp.Off: 303 & 403, Royal Arcadia, Above SBI Bank, Balkampet,
S.R. Nagar, Hyderabad - 500 038, Telanagana, INDIA
Tel : +91 40 4004 0707 Fax: +91 40 4004 0686
Email: marketing@rippleindia.in | www.rippleindia.in

Aska Equipments Ltd

Corp.Off: R-482, New Rajendra Nagar, Ganga Ram Hospital
Square, Shankar Road, New Delhi -110060. (INDIA)
Tel : +91-11-49458800 (30 lines) | Fax: +91-11-49458844
Email: info@askagroup.com | www.askagroup.com

Authorised Exclusive Partner
(Milwaukee Lighting System)