



Nothing but **HEAVY DUTY.**

M18 FDD

M18 FUEL™ drill driver

Features

- More power - unmatched torque of 135 Nm
 - All metal reversible belt clip - hang your tool quickly and easily
 - Flexible battery system: works with all Milwaukee® M18™ batteries
 - More speed - delivers up to 2000 rpm
 - Smaller size - length of just 190 mm
 - Milwaukee® designed and built brushless POWERSTATE™ motor for up to 10x longer motor life and up to 60% more power
 - New REDLINK PLUS™ intelligence system delivers the most advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
 - REDLITHIUM-ION™ battery pack delivers up to 2.5x more run time, up to 20% more power, up to 2x more battery life and operates better down to -20°C than other lithium-ion technologies
 - Individual battery cell monitoring optimises tool run time and ensures long term pack durability
-
- Battery fuel gauge displays remaining charge
 - Brightest LED workspace illumination





Nothing but **HEAVY DUTY.**[®]

RANGE SPEC (1)	M18 FDD-0	M18 FDD-502X	M18 FDD-502C
Article Number	4933451063	4933451064	4933451254
Battery pack capacity (Ah)	-	5.0	5.0
Battery type	Li-ion	Li-ion	Li-ion
By technology new	Fuel	Fuel	Fuel
Charger supplied	-	59 min	59 min
Chuck capacity (mm)	13	13	13
Max. drilling steel (mm)	13	13	13
Max. drilling wood (mm)	45	45	45
Max. torque (Nm)	135	135	135
No load speed gear 1 (rpm)	0 - 550	0 - 550	0 - 550
No load speed gear 2 (rpm)	0 - 2000	0 - 2000	0 - 2000
No. of batteries supplied	0	2	2
Sound power level measured (dB(A))	85.5	85.5	85.5
Sound power level uncertainty (dB(A))	3	3	3
Sound pressure level (dB(A))	74.5	74.5	74.5
Sound pressure level uncertainty (dB(A))	3	3	3
Speed settings	2	2	2
Supplied in	-	HD Box	Kitbox
Vibration drilling into Metal [m/s ²]	1.29	1.29	1.29
Vibration drilling into metal uncertainty [m/s ²]	1.5	1.5	1.5
Vibration screw driving (m/s ²)	1.33	1.33	1.33
Vibration screw driving uncertainty (m/s ²)	1.5	1.5	1.5
Voltage (V)	18	18	18
Weight with battery pack (kg)	-	2.5	2.5
Wood screws to (mm)	10	10	10



Nothing but **HEAVY DUTY.**[®]

RANGE SPEC (2)	M18 FDD-202X	M18 FDD-0X
Article Number	4933451358	4933451445
Battery pack capacity (Ah)	2.0	-
Battery type	Li-ion	Li-ion
By technology new	Fuel	Fuel
Charger supplied	59 min	-
Chuck capacity (mm)	13	13
Max. drilling steel (mm)	13	13
Max. drilling wood (mm)	45	45
Max. torque (Nm)	135	135
No load speed gear 1 (rpm)	0 - 550	0 - 550
No load speed gear 2 (rpm)	0 - 2000	0 - 2000
No. of batteries supplied	2	0
Sound power level measured (dB(A))	85.5	85.5
Sound power level uncertainty (dB(A))	3	3
Sound pressure level (dB(A))	74.5	74.5
Sound pressure level uncertainty (dB(A))	3	3
Speed settings	2	2
Supplied in	HD Box	HD Box
Vibration drilling into Metal [m/s ²]	1.29	1.29
Vibration drilling into metal uncertainty [m/s ²]	1.5	1.5
Vibration screw driving (m/s ²)	1.33	1.33
Vibration screw driving uncertainty (m/s ²)	1.5	1.5
Voltage (V)	18	18
Weight with battery pack (kg)	2.3	-
Wood screws to (mm)	10	10