



Mini Catalogue

Drilling & Anchor Fastening



Ripple Construction Products Pvt Ltd is incorporated in April 2012 with an objective of:

"Providing world class, superior quality Products & Services to our Customers enhancing their Business more efficiently & effectively"



Our Purpose

Our Core Passion is your brighter future









on our improvements for satisfaction

We continuously put efforts. We are passionate to build. We work closely with clients to leadership providing a total customer manage the business growth develop course of action using based on our Culture

capacity and understand their needs and effective & efficient practices

We work to enhance our client's performance, productivity and profitability through our value added products & services.

Our Mission

- To be genuine in offering our services to the clients helping them scale up in their business
- To be the quality leaders in everything we do

Our Vision

- To create value through offering superior quality & innovative solutions thereby achieve consistent, sustainable business results
- Our vision is to bring excellent practices in the industry by promoting Conservation of Energy, Efficiency & Water in our day to day business



PEOPLE

We strongly believe that our Ripple team are the most resourceful

PASSION

We have a passion for success

We foster an environment where everyone has fairness, transparency, tools to grow & excel

PROGRESS

Our Values

Fairness in what we do

Integrity in everything we do

Responsiveness in assignments

Excellence in everything we do











Dear Esteemed Customer.

Our Objective is to "Providing world class, superior quality products & services to its Customers enhancing their business more efficiently & effectively"

You see it everywhere. Renovations, rehabs and flips on projects in every neighbourhood. New infrastructure projects, commercial, residential buildings. landscaping and manufacturing industries etc the professionals are doing it all; making world class projects with an increased speed, quality and above all hip and trendy.

There is a surge in Quality of the Products supplied to the Construction Industry and enhance the pace of the Project and reliability in fastening area. Our customers are also demanding the best possible service that enhances the efficiency of their fast track projects. Anchor Fasteners used in Construction Industry play a vital role to meet the demands of the progress in each project.

That is why we are sharing with you a well-kept secret, Ripple Construction Products Pvt Ltd brings you innovative, problem solving and high quality products to meet your stringent demands such as:

nd the right product

Brighter fut

Quality:

We bring you international standard high quality products to meet your requirements comparable & exceed your/ understand the needs the op, client/consultant's expectations. We can conduct PULL OUT tests and issue test certificate based on our customer's requests at their jobsite for our Anchor installations.

Service:

We offer services Tandionolistes de de la company con la company de la compa to our Customers Clients,-Consultants through visiting Jobsites, Understand the needs, recommend, Submit proposals, Brochures, Catalogues, seek consultant's approvals, demonstrations, seminars, presentations, On-site training to application team etc.

Availability:

€ Effectiveness & Efficiency

Our Central Warehouse at Hyderabad with adequate stocks maintained at our Regional Offices around the country to ensure the fastest possible delivery to our customers. Our constant and consistent replenishment of our stocks based on the increase in demand.

Value for Money:

Our unique intangible benefits offered via our products & services gives a clear cutting edge. Though you may clearly recognize the differentiation in the price, there are many additional features which intern will add value to your purchase, design support at planning stage & execution stage.

Ripple India Team sincerely urge you to give us an opportunity to service your needs and prove our ability to be a preferred partner for Anchor Fasteners.

Thorogan R&D with Precision

- For more information, please visit us at: http://www.rippleindia.in

Ripple India Team





Whatsapp: +91 770 222 5500

Ripple Construction Products Pvt Ltd

Corp Office: 303 & 403, Royal Arcadia, S.R. Nagar, Hyderabad - 500 038, India Tel: +91 40 4004 0707 Fax: +91 40 4004 0686

Email: marketing@rippleindia.in | www.rippleindia.in

Experts in Fixing & Drilling Solutions

Welcome To Ripple India

- Ripple India incorporated in April 2012 head quarterd at Hyderabad, India with an objective of "Providing World class superior Quality Products & Services to its customers enhancing their business more efficiently & effectively"
- Ripple India with its presence across the Country in India having Registered Offices at New Delhi, Lucknow, Kolkata, Bhubaneshwar, Hyderabad, Vizag, Chennai, Bengaluru & Mumbai are ready to serve the needs of our esteemed customers with highly professional, well qualified and well trained team of Engineers in Sales, Marketing & Engineering Support.
- Our endeavour to bring the best Quality Products which meet the standards of Client's Needs as well provide Value for Money in longrun.



Engineering support at Site

Demonstrations, On-Site Tests, Seminars, Specifications etc..



Softwares & Apps

Engineering Calculation Softwares, Apps, Technical Manuals



After Sales Services

In-house Repair Services & Maintence for Power Tools



Chemical Anchor

- 1. R Fix : Pure Epoxy based Chemical Anchor
- 2. V Fix: Vinyl Ester based Chemical Anchor
- 3. P Fix: Polyester based Chemical Anchor
- 4. RTR: Ripple Threaded Rods of various sizes





Mechanical Anchor

- 1. Heavy Duty Metal Anchors
- 2. Medium Duty Metal Anchors
- 3. Light Duty Plastic Anchors
- 4. Frame Fixing Anchors
- 5. Special Anchors
- 6. Foams & Sealants





Electrical Power Tools

- 1 Corded Power Tools
- 2. Cordless Power Tools
- 3. Batteries & Chargers
- 4. Accessories
- 5. Test & Measurement Tools
- 6. Hand Tools





SOLUTIONS TO YOUR FASTENING CHALLENGES MADE EASY

We have the right Products & Services to fulfill your needs



Prior to fixing and fastening, making an opening is very essential into various base materials. Electrical Power Tools such as Corded Power Tools, Cordless Power Tools in various ranges helps in Drilling in to concrete, Steel, Wood, Marble, Tiles, Granite, Gypsum, Plywood boards etc., **Milwaukee Electric Tool Corp**. is an industry-leading manufacturer and marketer of heavy-duty, portable electric power tools and accessories for professional users worldwide...Since its founding in 1924, **Milwaukee** Electric Tool has been an industry leader in power tool innovation...

POWER TOOLS

- MILWAUKEE CORDED
- MILWAUKEE CORDLESS
- RIPPLE POWER TOOLS (RPT)







Pistol Design SDS Plus Rotary Hammers



PFH 24 E	max 24 mm 2 mode Rotary Hammer
PFH 26	max 26 mm 2 mode Rotary Hammer
PH 26	max 26 mm 3 mode Rotary Hammer
PH 27	max 26 mm 3 mode Rotary Hammer
PH 28	max 28 mm 3 mode Rotary Hammer

Rotary Drills



HDE 10 RQX	725W SINGLE SPEED ROTARY DRILL
HDE 13 RQX	950W SINGLE SPEED ROTARY DRILL
HD2E 13 R	705W 2-SPEED ROTARY DRILL
HDE 13 RQD	825W SINGLE SPEED ROTARY DRILL
32E 16 RLD	900W 2-SPEED ROTARY DRILL
34 -32	4-SPEED ROTARY DRILL

L Shaped SDS Plus Rotary Hammer Drills



PLH 20	max 20 mm 2 mode Rotary Hammer
PLH 28	max 28 mm 3 mode Rotary Hammer
PLH 32 XE	max 32 mm 3 mode Rotary Hammer
PCE 3	3 Kg SDS Plus Chipping Hammer
PH 30	max 30 mm 3 mode Rotary Hammer

Percussion Drills



PD2E 22 R	850W 2-SPEED PERCUSSION DRILL
PD2E 24 R	1020W 2-SPEED PERCUSSION DRILL
PD2E 24 RS	1010 W 2-SPEED PERCUSSION DRILL
PD2E 24 RST	1200 W 2-SPEED PERCUSSION DRILL
SB 2-35 D	1010W 2-SPEED PERCUSSION DRILL
PD 705	725 W PERCUSSION DRILL

SDS Max Combi Hammer Drills



K 540 S	max 40 mm 5 Kg Class Combi Hammer
K 545 S	max 45 mm 5 Kg Class Combi Hammer
K 750 S	max 50 mm 7 Kg Class Combi Hammer
K 950 S	max 50 mm 10 Kg Class Combi Hammer

IMPACT WRENCH / WALL CHASERS



IPWE 520 RO	3/4" DRIVE IMPACT WRENCH
IPWE 400 RO	1/2" DRIVE IMPACT WRENCH
WCF 30	1500W 125mm (30mm DOC) wall chaser
WCS 45	1900W 150mm (45 mm DOC) wall chaser
	2300W 230mm (45 mm DOC) wall chaser
WCE 65	2300W 230mm (65mm DOC) Wall chaser

SDS Max Electro - Pneumatic Breakers



K 500 ST	5 Kg Class Chiselling Hammer
K 500 S	5 Kg Class Chiselling Hammer
K 900 S	10 Kg Class Breaker

Reciprocationg Saws / Mitre Saws



MS 305 DB	12"305mm DUAL MITRE SAW
MS 216 SB	8 1/2"216mm MITRE SAW
CHS 355	2300W CHOPSAW
SPE 1300 SX	1300W SAWZALL® Reciprocationg Saw
SPE 1300 RX	1300W 360 ROTATING HANDLE SAWZALL
SPE 1500 X	1500W SAWZALL® Reciprocationg Saw

Diamond Core Drilling Machines



	DD3-152	max 152 mm 3 speed combi Core Drill
	DCM2-250C	max 250 mm Diamond Core Drill
h	DCM2-350C	max 350 mm Diamond Core Drill
r	DR 152 T	Drill Stand for DD3 152
	DR 250 TV	Drill Stand for DCM2-250C
i	DR 350 T	Drill Stand for DCM2-350C
a.		

Jig Saws / Circular Saws



S 120 X	HEAVY DUTY BODY GRIP JIGSAW
SPE 110 X	HEAVY DUTY BODY GRIP JIGSAW
SPE 135 TX	HEAVY DUTY TOP HANDLE JIGSAW
CS 65 Q	190MM CIRCULAR SAW(65MM DOC)
ACS 66	DRY CUT METAL CIRCULAR SAW
S 60	184MM CIRCULAR SAW (61MM DOC)

Diamond Core Drilling - Accesories



WT 10	10 L Capacity Water Tank
VP 6	Vacuum pump
Adaptor	1 1/4 inch to 1 1/2 inch
Rings	Water Collection Rings
Spacer Block	Upto 50 mm between drill rig & motor
Spanners	1 3/8 inch , 32 mm, 41 mm open end

Magnetic Drills / Screw Drivers



MDE 41	Magnetic drill Press with electro magnet
MDP 41	Magnetic drill Press - Permanent magnet
MD 4-85	Magnetic drilling Press
TKSE 2500 Q	Tech gun for self drilling screws
DWSE 4000 Q	Dry wall Screwdriver

Angle Grinders / Band Saw



	AS2-250 ELCP
	AP 12 E
	AP 14-2 200 E
\	AG 10-125
1	AG 22-180/230
	RS 125

ΞP	25 L Dust Extractor (Vacuum Cleaner)
	1200W POLISHER
Ε	1450W High Torque Automobile Polisher
	1000W ANGLE GRINDER
30	2200W ANGLE GRINDER
	DEEP CUT BAND SAW





One Key Fuel Bluetooth Tools



M18 ONEDD	DRILL DRIVER
M18 ONEPD	PERCUSSION DRILL
M18 ONEID	1/4 inch Hex Impact wrench
M18 ONEIWF12	1/2 " impact wrench with friction ring
M18 ONEIWP12	1/2 " impact wrench with pin detent

Saws



Μ	12CCS44	12V COMPACT CIRCULAR SAW	
M	18 CCS 55	18V CIRCULAR SAW	
M	18 CCS 66	18V CIRCULAR SAW	
H	D18 CS	18V HEAVY DUTY CIRCULAR SAW	
H	D18 MS	18V METAL SAW	

SDS Plus Rotary Hammer Drills



M12 CH	max 13 mm brushless Rotary Hammer
M12 H	max 13 mm 2 mode Rotary Hammer
M18 CHX	max 26 mm 4 mode Rotary Hammer
M18 CHPX	max 28 mm 4 mode Rotary Hammer

Saws



	M12 CHZ	12V COMPACT HACKZALL™	
	M18 CSX	18V SAWZALL®	
	M18 BSX	18V HEAVY DUTY SAWZALL®	
ì	M18 CBS125	18V DEEP CUT BAND SAW	
_	HD18 BS	18V HEAVY DUTY METAL BANDSAW	
	HD18 JS	18V HEAVÝ DUTY J I GSAW	

Magnetic Drilling Press



18 FMDP	Milwaukee® designed and built brushles
	POWERSTATE™ motor provides corded
	drilling performance with strongest
	magnet holding force on 1/4" steel and
	40 x 18 mm holes per battery charge

Angle Grinders



M18 CAG PD	18V 125 MM ANGLE GRINDER
HD 18 AG -115	18V HD 115 MM ANGLE GRINDER
M18 CAG	18V ANGLE GRINDER
M18 CAG XPDB	18V 115 MM BRAKING GRINDER

Rotary Drills



M12 BSD	12V Sub Compact 1 speed Drill Driver
M12 BDDX	12 V Sub Compact Drill-Removable Chuc
M12 BDD	12V Sub Compact DRILL DRIVER
C12 RAD	12V RIGHT ANGLE DRILL
M18 FDD	18V COMPACT DRILL DRIVER
M12 CDD	12V 2 SPEED COMPACT DRILL DRIVER

MISCELLANEOUS



C12 WS	12V WALL SCANNER
M12 TI	12V THERMAL IMAGE CAMERA
C12 PC	12V COPPER PIPE CUTTER
M18 BMT	18V MULTI-TOOL
M18 SMS 216	18V HEAVY DUTY MITRE SAW
M18 VC	18V HD 7.5 L WET/DRY VACUUM

Percussion Drills



M12 BPD	12V SUB COMPACT DRILL
M18 FPD	18V COMPACT PERCUSSION DRILL
M12 CPD	12V 2 SPEED COMPACT DRILL
M18 BPD/BDD	18V COMPACT HAMMER DRILL
M18 BLPD	18V BRUSHLESS DRILL

CHARGERS & BATTERIES



M12-18 FC	M12,M18 Fast Charger
C12 C	M12 Charger
M18 B4	18V 4Ah Battery Pack
M18 B5	18V 5Ah Battery Pack
M12 B2	12V 2Ah Battery Pack

Impact Wrenches



18V 3/4" high torque impact wrench
18V 1/2" compact impact wrench
12V 1/2" Sub compact impact wrench
12V 1/2" compact impact wrench
12V 1/4" compact impact wrench
12V 3/8" Sub compact impact wrench

WORLD'S FIRST 9Ah BATTERY



M18 B9 THE WORLD'S 1st & ONLY 18V High Demand™ 9.0Ah BATTERY. Take the power of performance into your own hands with M18™ 9.0Ah battery packs. Outlasting any other battery in the market with 9.0Ah power across over 85+ high performance M18™ cordless tools.

Impact Drills



M18 BID	18V SUB COMPACT IMPACT DRIVER
M12 CID	12V 1/4" HEX COMPACT IMPACT DRIVER
M12 IR	12V SUB COMPACT IMPACT RATCHET
M12 B I D	12V SUB COMPACT IMPACT DRIVER

5 KG DRILLING & BREAKING HAMMER



M18 CHM - 902C
The world's first 18 V Cordless 5 Kg Class SDS MAX
Combination Hammer with an equal capacity of A/C Tool.
The Tool has dual function both Rotary Hammer Drilling
upto 40 mm dia in Concrete & minor chiseling function



RAG 4 Ripple Angle Grinder 4 inch











- Powerful 900 W motor designed for heavy duty applications of cutting and grinding tasks
- Compact design allows comfortable gripping
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick & easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Safety guard ensures maximum user protection
- On & off slide switch for one hand control
- Optimized air vents for best cooling of the tool during operation









RHD 26 Plus

Ripple Hammer Drill 26 mm









KEY FEATURES

- 3-in-1 switch for drill, hammer drill & hammer-only
- Variable speed 0-1150 RPM rotation only mode for drilling in wood

Specifications at a Glance	RHD 26 PLUS	Weight (with Cord)	2.8 kg
Rated voltage	230 V	Cord specification	H07RN-F 2 x 1mm Cord (Length : 2 Meters)
Frequency	50 Hz	Cord pin	Euro Plug 2 Round Pin
Rated power input	850 W	Length	420 mm
Impact energy	0 - 3 J	Width	85 mm
Impact rate at rated speed	0 - 5100 bpm	Height	220 mm
Rated speed	0 - 1150 rpm	Bit holder	SDS-plus



REB 650 Ripple Electric Blower



Specifications at a Glance	REB 650
Voltage	220 - 240 V
Frequency	50 Hz
Power input	650 W
No load speed	16000 RPM
Air volume	2.8 m³/min
Tool weight	2.1 Kg (With Cord)

KEY FEATURES

- Offers highest power-weight ratio amongst its class: 650 W at 2.1 Kg
- Offers combination of power of 650 W and airflow of ≥ 2.8 m³/min
- Easy to service and change carbon brush design
- Lock on button for constant on convenience
- 2 meter long cable

RCS 355 Ripple Chop Saw - 355 mm (14")



KEY FEATURES

- Powerful 2600 W motor designed for heavy duty applications of metal cutting
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick & easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life
- Safety guard ensures maximum user protection
- On & off Toggle switch for one hand control
- · Optimized air vents for best cooling of the tool during operation

Specifications at a Glance	RCS 355
Rated voltage	220 - 240 V
Frequency	50 Hz
Rated power	2600 W
Disc size dia	355 mm (14")
No load speed	3900 RPM
Standard accessories	CARBON BRUSH - 1 SET, SOCKET WRENCH - 1 PC, WHEEL INSTALLED WITH MACHINE



CONCRETE DRILL BITS













Dia: 6 mm - 20 mm Lenaths: 110 mm - 610 mm







KEY FEATURES

- . Monobloc carbide tip with self-centering point.
- Tip angle 135°.
- · 3 cutting edges.
- · Square flute.
- . Compatible SDS-plus shank.

ADVANTAGES

- . The 3 cutting edges monobloc tip is the solution for all concrete drilling.
- The self-centering tip allows more precision.
- The tip design guarantees a concentric hole.
- The square flute accelerates dust extraction and improves the drill bit life time.



Dia: 6 mm - 30 mm Lenaths: 110 mm - 610 mm





KEY FEATURES

- . The new plate offers:
- a centring tip with "Z" geometry
- a wave profile with 3 effectives supporting points
- . The new helix offers 2 shape designs: half-round and square
- · Compatible SDS-plus shank.

ADVANTAGES

- · The 3 plates pressure points concentrate hammer force in line with the drilling axis, thus increasing speed and destructive power.
- . The power of the the centering tip power improves penetration into materials, the chiselling effect, and the drilling accuracy.
- · The new helix geometry optimises the dust removal to guarantee speed, wear resistance, and service life.
- . The new Twister is faster and maintains its performances over time.



SDS MAX DRILL BITS









KEY FEATURES

- 3 carbide tips with self-centering point.
- 6 cutting edges.
- · Progressive flute.
- . Compatible SDS-max shank.

ADVANTAGES

• Guarantee of perfect round and calibrated hole.

Available: Dia: 12mm - 45mm Lenaths: 340mm - 1300mm

- · Longer life time.
- · Avoid risk of blocking.

Chisels

















SOLUTIONS TO YOUR FASTENING CHALLENGES MADE EASY

We have the right Products & Services to fulfill your needs




Continuously searching for innovative technological solutions, Friulsider constantly expands and evolves its product range, which now includes a total of 5800 articles, divided into anchors, roofing and cladding fixings, wood screws, nuts and bolts for metal.


Friulsider S.p.A, established in 1966, the production of all references, in steel and plastic, is carried out in-house, to ensure the quality of a "Made in Italy" product and to rapidly respond to all of the market demands, from construction to plant engineering, from mechanical industry to carpentry.

ripple

Ripple R Fix"

Pure Epoxy Chemical Anchoring System





Features

- . Heavy Duty Pure Epoxy Chemical Anchor
- ETA Option 1 Certification
- F240 Fire Resistance Certification
- Pure Epoxy
- . Suitability- Base Materials
- · Styrene free Chemical
- Slow Curing









Applications

- Rebar Fixings
- Rock Anchoring
- Heavy Duty Fixings
- Steel & wooden structural Beams& columns
- · Cantilevers, Pipe supports
- · Pumps, Machines
- · Guard rails, Gates
- · Heavy duty ladders
- · Mechanical Equipments
- · Percussion / core drilled holes
- · Wet / water logged holes






Benefits

- . High loads & safe Chemical anchoring
- · Reliable fixing in cracked & un-cracked concrete
- Fire Resistant upto 240 minutes
- · Excellent Bonding & low shrinkage
- · Wide range of construction Base Material
- · Low odour, High chemical resistance
- . Can be used for Deep embedment

Ripple V Fix™

Vinylester Chemical Anchoring System











Applications

- Heavy Duty Fixings
- Steel & wooden structural Beams & columns
- · Cantilevers. Pipe supports
- · Pumps, Machines
- · Guard rails, Gates
- · Heavy duty ladders
- . Mechanical Equipments
- Rebar Fixings
- · Percussion / Rotary Hammer drilled holes

Features

- . Heavy Duty Vinylester Chemical Anchor
- ETA Option 1 Certification
- F120 Fire Resistance Certification
- · Vinylester Based Chemical
- . Suitability- Base Materials
- · Styrene free Chemical

Benefits

- . High loads & safe Chemical anchoring
- · Reliable fixing in cracked & un-cracked concrete
- Fire Resistant upto 120 minutes
- · Excellent Bonding & low shrinkage
- . Wide range of construction Base Material
- · Low odour, High chemical resistance



Ripple P Fix™

Polyester Styrene free Chemical Anchoring System



Polyester is a general purpose two-component chemical anchoring system that has been formulated to cure fast. It exhibits excellent bonding strength and is suitable for use in a variety of substrates, including dry or wet concrete and solid or hollow masonry. Polyester has an European Technical Approval and is available in various colours(grey, white and stone) and with different gel times (standard and winter grades).

Features

- · Universal Polyester Chemical Anchor
- ETA Option 7 Certification
- . Suitability- Base Materials
- · Styrene free Chemical
- · Mechanical properties
- Extended Gel time

Benefits

- · General purpose universal applications
- · Reliable fixing in un-cracked concrete
- · Wide range of construction Base Material
- · Low odour, low shrinkage
- · Excellent Bonding & High chemical resistance
- · Suitable for tropical climatic conditions



Ripple P Fix SG™

Polyester Styrene free Chemical Anchoring System





Polyester is a general purpose two-component chemical anchoring system that has been formulated to cure fast. It exhibits excellent bonding strength and is suitable for use in a variety of substrates, including dry or wet concrete and solid or hollow masonry. Polyester has an European Technical Approval and is available in various colours(grey, white and stone) and with different gel times (standard and winter grades).

Features

- Universal Polyester Chemical Anchor
- ETA Option 7 Certification
- . Suitability- Base Materials
- Styrene free Chemical
- Mechanical properties
 Extended Gel time

Benefits

- · General purpose universal applications
- Reliable fixing in un-cracked concrete
- · Wide range of construction Base Material
- · Low odour, low shrinkage
- Excellent Bonding & High chemical resistance
- · Suitable for tropical climatic conditions



Dispenser for R Fix

Dispenser for V Fix & P Fix

Dispenser Gun for R Fix (Suitable for R Fix 385 ml & 585 ml)

Article No. 30306



Static Mixer 18



Extension Pipe to use with R Fix for deeper holes

Article No.		
16009		

Dispenser Gun for V Fix & P Fix (Suitable for V Fix & P Fix 410 ml Coaxial 10:1 ratio cartridge)



Article No. 30205

Static Spiral Mixer 14WN (For V Fix)



Article No.

Plastic perforated retention sleeve with centralising retension cone




Article No. 63300



Ripple Threaded Rods

Steel Threaded Rods for Chemical Anchoring System





STUD VERSION

Cone head and with or without chisel tipping at the bottom

MAJOR AND MINOR DIA Consistent pitch Diameter

COMPATABLE NUT & WASHER AVAILABE IN VARIOUS GRADES Grade 5 8 & 8 8







Nut





TO USE WITH **CHEMICAL CAPSULES**

Applications for use with Chemical Anchoring System

Stainless steel A2 & A4

- · Heavy Duty Fixings
- Steel & wooden structural Beams & columns
- Cantilevers, Pipe supports
- Insert plates
- · Pumps, Machines
- Guard rails, Gates
- Heavy duty ladders Mechanical Equipments

Friulsider FRP

Threaded Anchor Rods are generally used in combination of Chemical Anchoring System either by Injected System or Chemical Capsule Anchors. Threaded Rods are also known in the industry as Anchor Rods, Stud Anchors and Threaded Anchor Rods, RTR is an acronym of Ripple Threaded Rod

Threaded Anchor Rods are generally fully threaded along their complete length for use with Injection System of Chemical Anchors. While some Threaded Anchor Rods are also having a Chisel tipped bottom end with Hex Head and a mark of the Depth of anchorage for use with Chemical Capsule Anchors.

The Threaded Rods used in conjunction with Chemical Anchoring System are subjected to Tensile, Shear, Bending Moments or Combination Loads. Also these anchors are generally subjected to a very high static and live loads hence the Grade of the Steel plays a vital role in usage. Various grades of steel like 4.6, 5.8, 8.8, 9.8, and 10.9 which are manufactured with the Carbon Steel material whose mechanical properties meet or exceed the requirements set forth in the relevant harmonized standards. The two-digit nomenclature is not used to describe individual steel grades and only applies to metric fasteners defined under ISO 965 (as well as derived standards).

The designation system is based on two numbers e.g. 8.8

- The first number is the tensile strength of the bolt material (N/mm²)/100.
- The second number is = 1/100 (the ratio of the Proof (or Yield) stress.

The Anchorage strength of the threaded rod in combination with chemical anchor depends upon the grade of steel (Ultimate Tensile Strength), the bond strength & embedment (anchorage) depth.

Our Standard RTR Grades 5.8 & 8.8 comes with a minimum of 5 microns White Zinc Plating (WZP), Hot Dip Galvanization (HDG) of minimum 45 microns can be supplied upon specific requirement.


FRP

Chemical fixing vinylester - Rotary percussion capsule

Available:

Dia: 8 mm - 30 mm Lengths: 25 mm - 220 mm





- **Applications** · Steel structures
- . Dynamic Loads
- Machinery Foundations
- Barriers
- · Railing & fencing
- · Column base plates
- . Column Girder connections
- · Heavy duty ladders

Benefits





- Vinylester Chemical Capsule
- ETA 11-0155 Option 7 Certification
- Vinvl Ester Chemical Anchor · Pre Dosed chemical components
- · Styrene free Chemical
- Total Reliability

- . High loads & safe Chemical anchoring
- · Reliable fixing in un-cracked concrete
- . Compatibility to Parent Concrete
- . No wasteage or no excess quantity
- · Low odour, High chemical resistance
- · Reduced edge and spacing distances



ATS Evo

Available:

Dia: 10 mm - 24 mm Lengths: 100 mm - 350 mm

Heavy Duty Safety Anchor



Features

- · Heavy Duty Safety Mechanical Anchor
- . ETA Option 1 Certification
- F120 Fire Resistance Certification
- . The coupling of the cone and body
- · Single piece three segments expansion
- · Special bush shape plastic collapsible sleeve
- . 8.8 grade steel body


FM-753® CRACK

Available:

Dia: 8 mm - 16 mm

Lengths: 68 mm - 220 mm

Heavy Duty Wedge Anchor for Cracked Concrete





Features


- . Steel Monolithic Body
- . Unique Cone containing System
- Three Segment Grips
- Option 1 Approval
- Correct installation in Critical Conditions
- F120 Certification
- · CE Certified

FM-753®

Available:

Dia: 6 mm - 24 mm Lengths: 45 mm - 335 mm

Heavy Duty Wedge Anchor for Un-Cracked Concrete





Features

- . Heavy Duty Anchor bolt for through fixings
- ETA Option 7 Certification
- . Certified for 1000 hours in salt spray test
- . Cold Forged Anchor Body
- . Six gripping dents for adhesion with hole walls
- . Stainless Steel Clip with Innovative Design

(€



Applications

- Heavy Duty Fixings
- Steel & wooden structural Beamscolumns
- · Cantilevers, Pipe supports
- · Pumps, Machines
- · Guard rails, Gates
- · Heavy duty ladders . Mechanical Equipments

Benefits

- · High shear loads & safe anchoring
- · Reliable fixing in cracked & un-cracked concrete
- Fire Resistant upto 120 minutes
- Optimal expansion is quaranteed
- . Excellent keying & friction
- Prevents rotation & slipping in the hole while applying torque
- · High Tensile Strength







Applications

- · Hand Rails, Guard Rails
- Facade Brackets & Clamps
- · Pipe Supports, Channels
- · Warehousing Racks
- · Elevators, Escalators · Columns & Beams Fixing
- Stadium Seat Fastening
- . Steel & Wood Constructions

Benefits

- · Greater Shear Resistance
- . No Risk of Cone Detachment
- . Guaranteed Anti Rotation
- · Reliable even in Cracked Concrete
- · Reduced Edge & Spacing Distance



Applications

- · Hand Rails, Guard Rails
- · Facade Brackets & Clamps
- · Pipe Supports, Channels
- · Warehousing Racks
- · Elevators. Escalators
- . Columns & Beams Fixing


Benefits

- . Wide range of Applications
- · Reliable fixing in (Uncracked concrete)
- Can be used in Corrosive Environments
- . High Resistance Ductile
- Prevents the anchor from rotating
- · Uniform distribution in the Hole



World Anchor

Medium Duty Wedge Anchor





Features

- . Medium Duty Anchor bolt for through fixings
- For Un-cracked Concrete
- Cold Forged Anchor Body
- . Six gripping dents for adhesion with hole walls
- Steel Clip with Innovative Adhesion
- Hole Diameter & Anchor Diameter is the same
- Increased thickness of three expander segments

Available:

Dia: 6 mm - 20 mm Lengths: 65 mm - 220 mm

Applications

- Hand Rails, Guard Rails
- Facade Brackets & Clamps
- · Pipe Supports, Channels
- Warehousing Racks
- · Elevators, Escalators
- · Columns & Beams Fixing
- Consoles
- · Cable Trays, Conduits
- · Gates & Grills
- Mechanical Equipments
- Stadium Seat Fastening Steel & Wood Constructions

Benefits


- · Wide range of Applications
- Reliable fixing
- High Resistance Ductile
- Prevents the anchor from rotating
- Uniform distribution in the Hole
- · Same Diameter drill bit can be used
- Friction & Keying Effect

• Medium duty steel constructions



TSA-PATTEN

Metal Sleeve Anchor





Features

- · Ready to use
- · Universal applications
- . Shallow drilling depth

Benefits

- · Fully Assemled
- Through Fixing
- · Depth of embedment

Signs

 Radiators · Satellite Dish

Applications

Shutters

Profiles


Available: Dia: 8 mm - 16 mm Lengths: 40 mm - 150 mm

- Angle Iron
- Stadium seating
- Wall plates
- Porches
- · Garage Doors
- · Cable travs
- . Hand rails and supports
- · Pipe lines and ventilations



TAP

Rimmed / Rimless Hammerset Anchor



Available:

Dia: 6 mm - 16 mm Lenaths: 25 mm - 65 mm

Applications

- Sprinkler systems
- Gratings
- Scaffolding Props
- HVAC Fixings
- · Core drilling machines
- False ceiling
- Cable Trays
- · Raised floorings
- . Medium Duty Steel constructions
- Wooden batons
- Suspended ceiling
- Electrical services
- · Hand rails and supports
- Pipe lines and ventilations

Benefits

- · Prevents slipping into the drilled hole
- Standard Screws & threaded rods
- · Prevents damage of internal thread
- . Shallow drilling depth
- Minimises external interference





FM-CLR

Features


Rimmed Lip


. Metric internal thread

Standard setting toolsDepth of embedment

• Flush with base material

Hex Head screw for Structural Fixings





Available:

Dia: 10 mm - 14 mm Lengths: 60 mm - 150 mm

Applications

- · Electrical sector
- Facades
- · Fixing machinery production lines
- · Hydraulics sector
- Metal carpentry
- Safety systemsScaffolding and shuttering
- Structural fixings
- · Warehouse logistics
- Wood sector



Features

- · High shear loads
- . No plug required
- Diameter vs loads
- · Edge distance
- Spacing distance
 Re-usable
- Drill diameter

Benefits

- · Safe anchoring in concrete
- Direct installation
- · High loading capacity
- . Low due to keying principle
- Correct functioning with reduce spacing
- · Can remove and reuse
- · 2mm less than anchor diameter

FM-X5®

Multi-expansion long Anchor





Available:

Dia: 8 mm - 10 mm Lengths: 80 mm - 230 mm





Applications

- · All facade applications
- Stone cladding clamps
- Door & Window frames
- · Kitchen cabinets
- · Safety grills & railings
- HVAC applications

Features

- · Maximum versatility
- · High quality nylon
- Low torque needed during expansion
- · Multi expansion
- · F90 certification
- · CE certified
- . Innovative, variable geometry

Benefits

- Tested in wide range of base materials
- Ultra flexibile
- . Can also be fixed by hand
- . Excellent keying & friction
- Fire resistant upto 90 minutes
- · Guaranteed safety
- Optimal expansion is guaranteed preventing rotation & slipping in the hole

TUP4

Long Nylon Through Anchor



FEATURES

TUP3

- · Maximum versatility
- · High quality nylon

Long nylon 3 wing plug

Channe

Available:

Dia: 8 mm - 12 mm Lenaths: 80 mm - 240 mm

Applications

- · Building restoration
- D.I.Y.
- Facades
- Framework · Metal carpentry

ADVANTAGES

- . Tested in wide range of base materials
- · Excellent keying & friction
- · Guaranteed safety
- Optimal expansion is guaranteed preventing rotation & slipping in the hole

Available:

Dia: 8 mm - 10 mm Lengths: 80 mm - 160 mm

Applications

- D.I.Y.
- Facades
- Framework
- Metal carpentry

FEATURES

- · Maximum versatility
- · High quality nylon

ADVANTAGES


- . Tested in wide range of base materials
- . Excellent keying & friction





FM-DREAM

Wall hung WC and bidet fixing



Applications


- D.I.Y.
- · Hydraulics sector



- UNIVERSAL: one version for all types of wall hung sanitaryware
- FLEXIBLE: completely adaptable to the dimensions and tolerances of different types of sanitaryware

Available:

FLB



Dia : 8 mm - 10 mm Lengths : 100 mm - 140 mm



Applications

Wash basin



Features

- · Preserves the integrity
- Excellent performance
- · Wide range

FL

Total reliability


Benefits

- . FLB preserves the integrity of the sanitary ware
- Nylon bush prevents contact between the metal stud screw, nut & the sanitary ware preventing pressure
- Performance of the plug on the base material is excellence
- Excellent Keying & Friction
- Excellent performance
- · Washbasin and bidet wall fixing

Available:

Dia: 8 mm - 10 mm Lengths: 110 mm - 180 mm





Applications

- D.I.Y.
- · Hydraulics sector

Features

- Preserves the integrity
- Excellent performance
- Wide range
- Total reliability

Benefits

- . FL preserves the integrity of the sanitary ware
- Nylon bush prevents contact between the metal stud screw, nut & the sanitary ware preventing pressure
- · Performance of the plug on the base material is excellence
- Excellent Keying & Friction
- · Excellent performance
- · Washbasin and bidet wall fixing





X1 EV0

The Absolute Anchor





Available:

Dia: 5 mm - 14 mm Lenaths: 25 mm - 70 mm

Applications

- Cable Ducts
- Window gratings
- Switch boards



Features

- . It works 100% with all the screws
- It works perfectly both on solid and hollow base material
- Ideal for tiled walls

Benefits

- Absolute Anchor
- · An anchor for every base material
- Dynamic geometry with 4 expanding sector


TSS/TBB

Countersunk pre-assembled nylon plug

Available:

Dia : 5 mm - 10 mm Lengths : 30 mm - 160 mm







Applications

- Facades
- Framework
- Dry/Plasterboard system
- · Metal Roofing

Features

· Preassembled plug

- High quality Nylon
- Easy Installation
- CE Certified

Benefits

- . Its through fixing anchor
- Its Removable fixing anchor due to the shape of the nail screw


Dia: 4 mm - 16 mm Lengths: 30 mm - 100 mm

Available:



TU

Nylon / Polypropylene Plug





Features

- Excellent pull out resistance due to the material
- · Controlled Expansion
- No rotation during installation due to the external wings

Applications

Building restoration

- D.I.Y.
- · Electrical sector
- Framework
- Hydraulics sector
- Metal roofingSafety systems
- · Scaffolding and shuttering
- Warehouse logistics





SOLUTIONS TO YOUR FASTENING CHALLENGES MADE EASY

We have the right Products & Services to fulfill your needs



An opening made in the base material requires to be closed to prevent any passage of smoke, fumes, toxic gases, water etc., Various kinds of repair mortars, grouts, crack injection systems, sealants, foams and fire prevention system are employed to ensure proper sealing of the opening made. high quality foams, sealants and firestop products in addition to the construction chemicals are selected based on applications, base material, statutory requirements and to meet the specifications with our International approved products



PUR Polyurethane foams

PUR WINDOWS Professional use polyurethane foam - WINDOW FRAMES





For window frames:-

- High acoustic insulation: 60 db (EN ISO 771-1).
- . High thermal insulation: 0.036 W/mk
- · Max elasticity even when hardened
- · High dilatation resistance
- B2 Self-extinguishing
- · High level of resistance to fire, heat and smoke
- High yield upto 45 ltrs freely foamed



Contents 750 ml

PUR REI Professional use polyurethane foam - FIRE RETARDANT





Contents 750 ml

В1

For the Insulation of Firebreak Doors and Windows

Excellent resistance to fire

Fire, heat and smoke barrier

High yield - upto 45 ltrs freely foamed

S25 Neutral - fire retardant silicone

High resistance to fire, high temperatures and smoke Suitable for sealing

glass, ceramic, plastic, concrete, bricks, metal, aluminium



EN 13501-1 E



S35 Acrilic - fire retardant

High resistance to fire, high temperatures and smoke Sealing of fireproof doors Sealing for porous construction materials

Suitable for sealing: concrete, mortar, bricks, plasterboard, wood, ceramic



Professional

DIN 4102 - B1

SERVICES



Engineering Support

Our Technical Engineering Team are well qualified Civil Engineers with an excellent understanding about the Fastening Technology are geared to provide.

- √ Seminars at various Consultants, Specifiers.
- √ Specifications of the Anchoring Products.
- √ Solutions for various critical site applications.
- √ Complete Design report on the Anchor Fasteners.
- √ Tailor made Design to critical applications.
- √ Conducting On-site Testing to ensure the installed anchors are yielding the design loads.
- √ Technical Documentations for approvals etc.



Sales Support

Our Sales Engineering Team are well qualified Engineers with an excellent technical background and understanding about the Fastening& Demolition Technology are geared to provide.

- √ Visiting the Jobsite.
- ✓ Understand the needs.
- / Recommend
- √ Brochures, Catalogue
- ✓ Demonstrations at site.
- ✓ Seminars, presentations.
- ✓ On-site training to the application team.✓ Delivery of the products etc.



Customer Services

Our Customer Service Team who are well trained in providing necessary support in


- ✓ Providing Quotations, Pricing Structures.
- √ Follow-up with the Purchase order:
- √ Processing the Purchase orders
- √ Communication to the Customers on the process of execution
 of Purchase Orders.
- √ Account Reconciliations, Payment Follow-ups
- √ Vendor Registrations.
- √ Provide documentation to our customers
- ✓ Communication with our Sales/Technical team to address
 Customer needs.
- √ Handling customer complaints, communication etc.



After Sales Services

Our Service Team for providing necessary support in managing & maintaining the Power Tools are geared to support our esteemed customers in

- Providing the Repair Services for the Equipment sold in the market.
- ✓ Providing necessary Spare Parts, drawings to the customers in case of self-maintenance by the customers
- √ Visiting job sites and providing necessary Service Check for the tools supplied.
- √ Warranty reports for the customers.
- √ Communication of maintenance
- ✓ Providing Service training to the customers who wish to repair own tools themselves etc.



Approved & Serving Metro Rail Projects in India











Serving Manufacturing Industries in India































































































www.rippleindia.in



New Delhi | Mumbai | Pune | Kolkata | Bengaluru | Chennai | Yizhakapatanam lucknow | Ahmedabad | Nagpur | Patna | Bhubanezwar | kochi



Ripple Construction Products Pvt Ltd

Corp Office: 303 & 403, Royal Arcadia, S.R. Nagar, Hyderabad - 500 038, India Tel: +91 40 4004 0707 Fax: +91 40 4004 0686

Email: marketing@rippleindia.in | www.rippleindia.in



Whatsapp: +91 770 222 5500